


**MILFORD, NEW HAMPSHIRE**  
**CODE ENFORCEMENT**  
**DIVISION OF BUILDING SAFETY**  
 603 249-0620  
 603 673-2273 (FAX)

**Deck Handout**  
 Based on the 2009 IRC



Decks Are Not Approved For Use Of Future Installation Of Hot Tubs.

\* Spans Of 6' Or Less Are To Be A Minimum Of 2'x 6' Floor Joist. Spans More Than 6' Are To Be A Minimum Of 2'x 8' Floor Joist.

Mobile Homes: Deck Support Must Match What The Mobile Home Is On.

\_\_\_ X \_\_\_ Joist Spaced \_\_\_ Apart  
(Example 2" X 10" Spaced 16' Apart)

Decking \_\_\_ X \_\_\_  
(Example 1" X 4")


\_\_\_ X \_\_\_ Post Spaced \_\_\_ Apart  
(Example 6" X 6" Spaced 10' Apart)

Span\* \_\_\_\_\_  
(Example 10'6")

(\_\_\_) \_\_\_ " X \_\_\_ " Beam  
(Example (2) 2" X 10"  
 Check If Installing Beam As Shown Or Check One Alternate Method

\_\_\_ " X \_\_\_ " Rim Joist  
(Example 2" X 10"

House Wrap  
Flashing Required Behind Ledger. Flashing Also Required To Direct Water Over And Away From The Top Of Ledger.  
Weather Resistant Joist Hanger  
Ledger Must Be Bolted To Support The Intended Imposed Load.



Alternate Methods  
 Check One If Using Either Method



**MILFORD, NEW HAMPSHIRE**  
CODE ENFORCEMENT DEPARTMENT  
DIVISION OF BUILDING SAFETY  
603 249-0620  
603 673-2273 (FAX)

**Deck Handout**  
Based on the 2009 IRC

